



Intertek Testing & Certification Limited

Intertek House, Cleeve Road, Leatherhead, Surrey, KT22 7SB, United Kingdom

Phone: +44 (0)1372 370900 Fax: +44 (0)1372 370999

E-mail: cpd.uk@intertek.com Web: www.intertek.com

EC CERTIFICATE OF CONFORMITY

Certificate Number: 0359-CPD-0308-EN1154:1996/A1:2002/ AC:2006

In compliance with the Council Directive 89/106/EEC of 21 December 1988 on the approximation of laws, regulations and administrative provisions of the Member States relating to construction products (the Construction Products Directive or CPD), as later amended, it has been stated that the construction product.

Product: **Door closer**

Model Ref: 505BC, 505, 605, 705; 504BC, 504, 704; 534BC, 534, 604; 503BC, 503, 643, 703; 3303.

Product Classification

3	8	5	1	1	3
		4			
		3			

Intended Use: Pedestrian access doors including fire and smoke doors

Particular conditions applicable: Product classification required as presented in Table A1

Placed on the market by: **Oubao Security Technology Co., Ltd.**, No.809 Bixing Street, Bihu Industrial Park, Lishui, Zhejiang, China 323006

And produced in the factory: **Oubao Security Technology Co., Ltd.**, No.809 Bixing Street, Bihu Industrial Park, Lishui, Zhejiang, China 323006

Is submitted by the manufacturer to a factory production control and to the further testing of samples taken at the factory in accordance with a prescribed test plan and that the notified body No. 0359 Intertek Testing & Certification Ltd – has performed the initial type-testing for the relevant characteristics of the product, the initial inspection of the factory and of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control.

This certificate attests that all the provisions concerning the attestation of conformity and the performance described in the Annex ZA of the standard **EN 1154:1996/A1:2002/ AC:2006** have been met.

This certificate was first issued on **29th January 2013** and remains valid as long as the conditions laid down in the harmonised technical specification in reference or the manufacturing conditions in the factory or the FPC itself are not modified significantly.

This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorised to permit copying or distribution of this certificate and then only in its entirety.

	0359-CPD-0308-EN1154:1996/A1:2002/ AC:2006	
David Bigland Certification Manager – Building Products	Issued Date	29 Jan 2013
	Revision Date	-
	Review Date	29 Jan 2018